

# URETHANE

PRODUCTS AND SERVICES FOR THE CORRUGATED INDUSTRY.

WHEN IT'S MAKE OR BREAK.™



## URETHANE

Zenith Cutter offers a range of highly reliable urethane products for corrugated printing equipment, die cutters and other packaging machinery to meet the various demands of the market.


**DIE CUTTING ANVIL COVER** 

The unique urethane formulation is able to withstand the hardest applications and extend the duration of the anvil cover to maximum wear.

Our well mold technique provides a smooth surface for die cutting. The solid steel backing eliminates the soft spot over the keyway of the anvil cover for a better cutting quality.

Manufactured with durable TDI esters for maximum tear resistance and low resilience. Zenith Cutter blankets install easily and wear longer than current alternatives.

We offer both knuckle type and close bar type design options, as well as single and double wide versions.





#### **CRUSH FREE WHEELS** WHEEL DESCRIPTION **OEM PART NUMBER** 0.D. Marquip<sup>®</sup> 3222610 6.500 Marquip® insert 3069946 2.600 Marquip® 3222918 13.250 Marquip® w/insert 3222919 13.250 MHI EVOL® YCE0281E 1.929

## **NO-CRUSH WHEELS**

#### **Design Advantages of Zenith No-Crush Wheels:**

- · High coefficient friction
- Excellent impact resistance
- · Maximum flexibility
- Superior abrasion resistance.

### **No-Crush Wheel Production Advantages**

- · No paperboard sliding against wheel
- · Feeds paperboard straight with stability
- · Prevents crush scars on the paperboard
- Increased wear resistance to reduce machine down time and purchase expenses

## **LEAD EDGE FEED WHEELS**

Replacement feed wheels are available in a variety of sizes to meet your specific equipment requirements.

Zenith Cutter's replacement feed wheels are manufactured with the highest quality materials to exact OEM specifications. All SUN® replacement wheels are finish ground for optimum performance and run life.

LEAD EDGE FEED WHEELS			
DESCRIPTION	PART NUMBER	WIDTH	O.D.
24"-26" Sun Automation®	ZU13647A	.625	2.530
35"-38" Sun Automation®	ZU12651	.880	3.060
35"-38" Sun Automation®	ZU10881A	.875	3.554
50" Sun Automation®	ZU10460A	1.000	3.686
50" Sun Automation®	ZU25392	1.187	3.686
50" Sun Automation®	ZU10247A	1.000	4.350
66" Sun Automation®	ZU22509	1.187	4.350
75" Sun Automation®	ZU11365	1.000	4.250





WHEN IT'S MAKE OR BREAK.™





